Collection No. 168

K. H. L. Key

GLAMIS

DUPLICATE

CARBON BOOK

(Octavo Size)

Eastern N.S.W. + SE. Queensland

29. xii. 70 – 15. i. 71

100 Leaves in Duplicate

NUMBERED

Flexiflat

THERMO–PLASTIC BOUND

Collection no. 168

K. H. L. Key

29. xii. 1970 — 15. i. 1971

29/12 Distances in miles.

25400.9 Windsor

404.7. Swift flow

409.8. Sandstone rise with ~~sp~~ Poa
sp. ~~Poa~~ Poa laevis
Poa imbecilla
Poa ~~sp~~ Poa
Poa ~~sp~~ Poa
Poa ~~sp~~ Poa

536.6. Hut for R. in semi-flood.
R. [illegible].

540.5. Rd to Kyto & Jerrajo Plains.
Took road to Doyles Creek.

546.5 Turn-off to Doyles Creek.

547.8. Hilly. E. eucs to 60ft with callitris
Macrozamia scariformis
callitris to 20ft, Casuarina [illegible] (?) to
+ Acacia sp.
2ft, Dodonaea to 6ft, various grass-
trees to 1ft.

562.9. Denman.

566.9. Crossed Muscle R. running.

574.9. Turn-off to right to Smith, Mellors

577.5. Boggy ground.

585.7. Turn-off to left to Widden Valley.

589.7 Kerrabee. Took road to the right

593.8. Slope with brown soil. E. hemi-
Pandillana sp. (?), Grevillea australasicae,
callitris (-pic) to 50ft with a Phyllocla-
Apobetsche trigonata, Pharlaeidium latifolium
Acacia sp. to 15ft. Grasses to 1ft. Occ
forbs + occ. Trichinia sp.

603.7. Turned right on Muscle road (Putney
1 mile on to left.

25610.2 Gentle slope bordering upon Chenopodietea terminifera, Eragrostis xerophila, Thinned from sav. woodland of Oedalus australis, Macrotona australis, E. comica to 20ft. St. pa spp. Pseudobetus M. scariformis, Xiphantus quadrilobus, sp., Ortholithum sp. & other Grasses to Bernius brachyeura (S.)
Ph. some forbs, including Salsola spp.

Hemipteris. Heida (S.). Plant villorum.

612.5. Turn-off to Thargomindah to right.

619.7. Wallar.

620.2 Mungthorn sp. Hilly & stony soil Monacca opoundaloides, morabine sp. grey soil. E. rossii, E. maculosa, a grey Pido (?) gum & a stringybark to 70ft on the Cooper endlichii to 30ft & miscellaneous shrubs to 4ft Dge. petiolaris cypressacea, Dec. Xanthorrhoea, V. Dec. Acacia spinosa, Hilly. Eremea.

635.5. Coonal.

644.7 Home Rule.

[N.B. The country from S of the Cobo R. to well N of Puthy is relatively uniformly & suitable for Paudinosa throughout, with Cypressaceae &

Bundanoon grass. From Singleton to Helensburgh there was hardly any even remotely suitable habitat, except perhaps for one or two at the western end. The rock seems to be mainly conglomerate & the vegetation E. crebra, E. haemastoma & Callitris endlicheri.]

31/12.

25659.0. Home Rule. Track Coxyglen to S.

659.5 Gentle slope; pale brown sil. Corymbia variegata, Isopogon anemonifolius, Xanthorrhoea media, Banksia ericifolia, Leptospermum trinervium, Acacia suaveolens, Hakea dactyloides, Eucalyptus haemastoma, Eucalyptus piperita, Eucalyptus globoidea, Eucalyptus sclerophylla, Eucalyptus capitellata, Eucalyptus punctata, Eucalyptus resinifera, Eucalyptus paniculata, Eucalyptus acmenioides, Eucalyptus tereticornis, Eucalyptus fibrosa, Eucalyptus longifolia, Eucalyptus maculata, Eucalyptus eugenioides, Eucalyptus globulus, Eucalyptus viminalis, Eucalyptus obliqua, Eucalyptus saligna, Eucalyptus botryoides, Eucalyptus robusta, Eucalyptus gummifera, Eucalyptus pilularis, Eucalyptus grandis, Eucalyptus dunnii, Eucalyptus nitens, Eucalyptus regnans, Eucalyptus delegatensis, Eucalyptus obliqua, Eucalyptus sieberi, Eucalyptus oreades, Eucalyptus stellulata, Eucalyptus camphora, Eucalyptus viminal

some microphyllous shrubs to 1½ft.
Brachyscome & other grasses to 1½ft. Macrotoma
australis. Phaul. vittatum.

66½.9. Home Rule.

67½.3 Gatgin & depart. (via Guntawang)

682.6. Slopes of small hill, stony. E.
Eremaea eochrus, Macrotoma australis,
distincta. Callitris endlicheri to 20ft. with
M. acciniformis, Eastrum argus micrum (?),
dense Prostanthera sp. & Styphelia (?) sp.
Phaulacridium vittatum, Pycnostictus sp.?,
to 3ft, leading down to E. woollsiana &
Brachychiton trigonotrop. & Acacia hospita.
lower slopes, heavily thinned, with Brachyscome
& other grasses to 18in. Dodalens. Heteropt.
(?). Occ. Lepidosperma among Prostanthera.

690.9. Eurolma.

691.5. Turned off for Collan.

697.3 Ridge of the grey-brown gravelly
soil. E. polyanthemos with some E.
Austrocalcicola, Phaulacridium vittatum,
macrorhyncha to 40ft with Callitris
endlicheri to some Casuarina sp. & Alt.
Brachychiton trigonotrop. & Acacia hospita
Brachyscome sp.
lehmannii, Tetratheca sp. Kunzea recurva
to 4ft, Eremaea
& other shrubs 1-5ft, dense
in lower parts to thinned some thin
grass. Cerphula pyrrhocnemis. Froggatt.

701.7. Road in from Dumedoo on right.

706.6. Road in from Gulgie on left

708.5. Road in from Gulgie on left.

712.1. Road in from Dumedoo on ~~left~~ right

712.4. Road in from Wellington on left

716.3. Turned left into Dumedoo-Dubbo road.

718.0. Ridge with rock outcrops. E. tenuifolia, Acacia aneura, Phaltaceridium sp. ~~Acacia~~ Orobra & C. endlicheri to 50ft 4(5) Conphistes rubicola, Ulmisa guttulosa E. decalvata to 30ft, rather sparse microphyllous shrubs 1-3ft. rock base ground - leaf litter. Ulmisa on base ground following road disturbance. Grass pass. Pyrgo. serialus.

720.1 Ballimore.

1/1/71.

257+5.9. Dubbo depart.

750.9. Turned off Newell Highway, on Mendooran road.

751.3. Brocklehurst.

763.0 Road in from Mendooran on left.

756.7 Stony hill with E. wallaba, E. Gonioda vocans, Heteropteris obscurella, Cochlospermum x E. pyrrhopycha to 40ft, Acacia Apoptopis bicarinata, Macrotona australis spp. (2) to 15ft fairly dense. Stylandra(?) M. sp. 13, Phaulacridium sp. 4 sp. dense for most part to 3ft. occ. on to shrubs, sparse grass, Cheilan thes abundant. Occ.

759.6. Turned right just before Mooriguy.

762.0. Entry Downs Stn to Forest.

762.5. Flat with brown sandy loam. E. moralina sp. P97, Phaulacridium spiet, Cochlospermum to 60ft. C. endlicheri to 40ft, Acacia Macrotona sp. 13, Monafria discrepans, Spallia sp. to 12ft, Casuarina luehmannii occ. to sp., Cirphula pyrrhocnemis, Gonioda vocans, 20ft. Microphyllous shrubs fairly dense Macrotona scariformis, Kyacris marcida 1-2ft. Lepidosperma frequent to 18in.

Salvia sp. occ. to 1ft. grasses & forbs incl. Helidrysum sp. Prostanthera ?aff. frequent, Thomasia or a Prostanthera (spec) empetrifolia Seib. to 2ft 6in. Leaf litter under trees. Return.

765.4. Rejoin Dubbo-Mooriguy road.

765.6. Mooriguy.

775.4. Cumungerie.

776.0. Rejoin Nevill Highway.

793.4. Gilgandra.

794.3 Turns right off Tweed Highway on Mebbin Moran road.

798.3 Road from Pearlebung in from left. to 60ft

806.4 Cleared heyfire from E. crebra & C. Apophopis tricarinata, Cisphula pyrrhocnemis, burgelii to 40ft on logs rise to the Macrotona sp. 13, moralina sp. P97 (8) brown sandy loam soil. Bulbinea sp. Acacia spp. & a few other shrubs in open formation with Aristida & other grasses. Ops. Utricia pulchella, Senecio sp. 95 ochracea; Hebe sp. 6.

808.9 Sallabolah Creek crossing.

812.1. Mistage post "Eulgandra 19".

814.6. Road in from Pearlebung to left.

Pcq: Mebbin Moran 12.

817.1. Top of gentle ridge, brown sandy loam. Macrotona scauriformis, Phanlacridium E. crebra, E. bolbata, & C. exhuden - (1 ranum, Lomatia apomaloides, G. australasiae to 40ft. partly cleared. Acacia shrubs to 4ft. - same under storey community. Cephalo

819.1. Castlereagh R. Crossing.

821.5 Cleared from E. crebra to 60ft & C.

Phaulacridium sp. 4, Coryphistes ruricola, endulcher to 5ft on brown sandy loam
Macfadzean marina
flat. Broom bush to 10ft. other shrubs
sparse to 1ft. sparse grasses. D.S. Acker.
Chort., Gen. nov. 95 ochracea.

822.2 4-mile per 9 from Mendooran.

826.2 Mendooran. Turn road to Dubbo.

829.7 Undulating with brown soil.
Conocara australasiae, Cyphocnemis
E. cribra, E. dealbata to 4ft, C. adelaidae
Urnisa sp., Macrotoma sp. 13, morabina sp. 997
to 2ft, Broom sp. to 12ft. Cephalocarus
scrub fairly dense to 1-2ft., Bambusa
other grasses sparse to 1ft. forbs.

2/1.

25873.6. Dubbo depart on Mendooran road.

881.5. Turn left on Mendooran road.

882.0. Cattle grid crossing road intersection.

884.5 = 881.5.

896.8. Coolahmore.

900.9 Road in from Collaroy right.

903.2 (Box country for boom, dense from to north
Phaulacridium marmoratum, Conocara opposita adelaidae
of roadway) Brown sandy loam flat with
E. cribra regnauthi & E. dealbata endulcher,

+ Casuarina luehmanni, with dense growth of microphyllous shrubs, mainly Calytrix sp., to 3ft. Corphula, Gen. nov. 95 ochracea.

904.5. Return to main road.

905.3. Low hill with brown sandy loam. E. woollsiana, E. blakelyi, EC. bugelii to 50ft, rising to E. crebra + C. eudlicheri. Microphyllous shrubs frequent to 18 in., Stipa sp. to 1ft. Eahnia sp. frequent to 1ft. Brachyscama, Ols., Hetcroft., Gen. nov. 95 ochracea.

908.0. Klang Klang

920.6. Road in from Eulgong on right.

920.8. Rise with brown sandy loam + some stones. E. woollsiana to 60ft with microphyllous shrubs to 3ft. + less, ca. Eahnia sp. abundant large prafery "Helichrysum" (Kuya ena on N.C.).

933.0. Dumedoo.

937.6 = 937.2

7/L.

Xanthorrhoea spp. to 2ft.

S

sedges

Pachynema Musgravei

Cassytha filiformis R. Br.

ab mighab.

almost on N.S.W. border.

Eucalyptus planchoniana F. Muell.

Anisopogon avenaceus?

27136.7. Turn off left for Woolgoolga.

27139.9 Woolgoolga depart.

27140.3 Turned left down hill [illegible] way.

140.3. Low-lying sandy flat cleared from Stenotaphrum dimidiatum, Ficinia nodosa, Isolepis thalassina, Fe. pes-bark to 3 ft. Dense Cyperaceae Gahnia aspera, Lepidosperma laterale, Baumea rubiginosa (2 or 3 spp.) & Imperata to 18 in. with some ferns to 1 ft. Baumea almost confined to an artificial drainage line parallel to road, where grass was absent: the more vigorous sedges were in small separate areas & in bands fringing the bare grounds of the drainage line. (Specimen of the most favoured sedge.) Return.

148.6 Woolgoolga.

13/1.

27150.9. Woolgoolga depart.

167.0 Coffs Harbour. 27 ft

167.6 E. pilularis [illegible] slope with a leguminous microphyllous shrub to

Pachmira pubistris, Hractomopha similis
3ft. leading down to swampy flat.
Remijia brachycerus, Acrida conica
Cleared from Paperbarks, a red-gum &
another one all to 40ft. with at least
3 species of Cyperaceae to 18in. & a
few small shrubs. Pachmira among
regenerating after ploughing.
cyperaceae, especially one sp. (spec.)
Choirandra sphaerocephala R. Br.
Gastr., Calib., Heteropt.

14/1.

27350.6 Timberry. Took Tarce road

352.7 Turned right to aerodrome.

352.9. Banksia serrata on white sand
Peatsia brunnea, Eumecites gratiosus
of fixed dunes, to 12ft. dense in places,
in part cleared, with ~~sclero~~ mesophyllous
shrubs mainly to 3ft. in places to
some
1ft., patchy sedge to 1ft. Aiph., Exana,
Phaul. nanum. Reburn.

361.9: Forster Depart.

367.0 Heath on l. & dune & flat
Leptula pyrrhoneura, Eumecites patricius,
Ibrachyphyllous
Exana includens, Pl. Meiagoniodium monura,
shrubs to 1ft. with Banksia serrata
morabine sp. P105

+ Acacia sp.
also Casuarina sp. ? to same.
frequent 1–2 ft. Lepto spermum + other
sedges scattered. Gastr. Heteropt.

370.5. Banksia Banksia.

381.1. Margin of Smiths Lake, immediately
backed by Paperbark + Casuarina glauca
to 40 ft + then E. pilularis to 60 ft. Various
Cyperaceae dense to 1–2 ft. with grasses
between in places.

400.8 Bulbodelia.

15/1.

424.9. Depression on subtidal sand.
Occ. Prasitubus sp. Conidea australasiae,
with stunted eucalypts + Paperbark
E. oppositifolius, Pedmura pedestris, morabine
to 15 ft, + heath 1–5 ft. Banksia sp.,
sp. P105,
Callistemon sp., Leptospermum spp.,
several species of Cyperaceae abundant.

426.0 Tea Gardens. Return.

526.0. N. of Gosford. Intersection of
Wyong Wyong + Sydney roads, near Rainbow
Motel. Took Wyong Wyong road.

526.4. Swampy depression under
Prasitubus ~~+ laminatus~~
Casuarina glauca to 20 ft + dyoming

mangroves. Cyperaceae dense to 2 ft,
patches forbs & grasses.

529.8. Kyalite Rg.

531.2. Ivory Way. Took Sy, Quay road.

533.7. Seepage channel in steep sandstone
morabine - pl 1105
country, with white sand. E. gummifera,
v/ A. lancelata
E. micrantha 4 to 40 ft. Numerous spp. of
microphyllous shrubs 1-5 ft, numerous
spp. of Cyperaceae 9 in. to 3 ft.

539.1 Turned right at Sy, Quay - Gosford junction.

541.3. Gosford - Ivory Way junction.